Material Safety Data Sheet

1 – Product and Company Information

Product Name

Isoprime

Product Number

400ICC5

Effective Date

01/07/2008

Company Identification

International Cellulose Corporation

12315 Robin boulevard Houston, TX 77045 United States of America

Telephone

(713) 433-6701

Preparer

International Cellulose Corporation

Product Description Water reducible coating

2 - Composition / Information on Ingredients

CAS Number	Weight %	
Proprietary	54%	
0007732-18-5	34%	
111-76-2	6.3%	
109-89-7	1.1%	
	Proprietary 0007732-18-5 111-76-2	

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

Notes: No Additional Information.

3 - Hazards Identification

Emergency overview

See below for product details.

Acute health effects

Repeated or prolonged skin contact may cause irritation. Ingestion may cause irritation.

Chronic health effects

None known.

Signs/Symptoms of exposure

Irritation.

Routes of exposure/entry

Skin Contact, Inhalation, Ingestion, Eye Contact

Isoprime

Page 2 of 8

Target organs

Eyes, Respiratory tract, Skin.

Medical conditions aggravated by exposure

Pre-existing skin problems may be aggravated by prolonged or repeated contact. Persons with sensitive airways (e.g., asthmatics) may react to vapors.

Carcinogenic status

The components of this mixture are not known to be listed or regulated by IARC, NTP, OSHA or ACGIH.

Reproductive effects

None known.

4 - First Aid Measures

If irritation or other symptoms (as noted above) occur or persist from any route of exposure, remove the affected individual from the area: See a physician/get medical attention.

Eye contact

Immediately flush eyes with plenty of clean water for an extended time, not less than t (5) minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion.

Skin contact

Wash the affected area thoroughly with plenty of water and soap.

Inhalation

If affected, remove to fresh air. If not breathing, give artificial respiration.

Ingestion

No ingestion effects known. Treat symptomatically. See a physician.

Notes to physician

No Additional Information.

5 – Fire Fighting Measures

NFPA flammability class:

N/A

Flash point:

Not Applicable

Explosive range:

LEL Not Applicable UEL Not Applicable

Notes: No additional Information.

Fire and explosive properties

This product is not known to present any fire hazard.

MSDS Name: Page 3 of 8

Extinguishing media

Being an aqueous system, product is not a fire hazard, as supplied. After water is evaporated, dry solids could burn. Water spray, ABC dry chemical and protein type air foams are effective. Carbon dioxide may be ineffective on larger fires due to lack of cooling capacity, which may result in re-ignition.

Fire fighting instructions

Wear self-contained breathing apparatus (SCBA) equipped with a full face piece and operated in a pressure-demand mode (or other positive pressure mode) and approved positive clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gasses from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations.

Unusual fire/explosion hazards

None known for the product as delivered (water solution).

6 - Accidental Release Measures

Containment techniques

Contain spill. If spilled in an enclosed area, ventilate.

Clean-up techniques

Wear proper personal protective clothing and equipment. Do not flush liquid into public sewer, water systems or surface waters. Soak up large spill residue and small spills with an inert absorbent. Place into labeled, closed container; store in safe location to await disposal. Wash the spill area with soap and water. Change contaminated clothing and launder before reuse.

Evacuation instructions

Not Applicable.

7 - Handling and Storage

Handling

Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid drinking, tasting, swallowing or ingesting this product.

Storage

Do not store in open, unlabeled or mislabeled containers. Keep container closed when not is use. Do not reuse empty container without commercial cleaning or reconditioning.

8 – Exposure Controls / Personal Protection

Chemical Name	ACGIH TWA	ACGIH STEL	OSHA TWA	OSHA STEL
Coating Solids	N/E	N/E	N/E	N/E
Water	N/E	N/E	N/E	N/E
2-Butoxyethanol	20 ppm	N/E	25 ppm	N/E
Diethylamine	5 ppm	15 ppm	10 ppm	25 ppm

MSDS Name: Page 4 of 8

Notes: No Additional Information.

Engineering controls

Always provide effective general and, when necessary, local exhaust ventilation to draw spray, aerosol, fume, mist and vapor away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the MSDS. (Ventilation guidelines/techniques may be found in publications such as Industrial Ventilation: American Conference of Governmental Industrial Hygienists, 1330 Kemper Meadow Drive, Cincinnati, OH 45240-1634, USA.)

Eye/face protection

Safety glasses or goggles required.

Skin protection

Wear protective gloves.

Respiratory protection

Wear an approved respirator (e.g., an organic vapor respirator, a full face air purifying respirator for organic vapors, or a self-contained breathing apparatus) whenever exposure to aerosol, mist, spray, fume or vapor exceed the exposure limit(s) of any chemical substance listed in this MSDS. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR).

General protection

No Additional Information.

9 – Physical and Chemical Properties						
Form	Liquid	рН	8.2 – 9.0			
Appearance	White	%Volatile by Weight	46%			
Odor	Slight sweet	Specific gravity	1.29			
Solubility in Water	Diluteable	voc	7.4% 95 g/l			
Evaporation Rate	Slower than n-butyl acetate					
Vapor pressure	=water mm Hg	Boiling point F°	212 °F			
Melting point	Not Applicable	Boiling point C°	100 °C			
Vapor density	Same as water					
Partition coefficient	Not Applicable					

Notes: Amounts specified are typical and do not represent a specification.

10 – Stability and Reactivity

Stability

This product is stable.

Hazardous polymerization

Hazardous polymerization will not occur.

Isoprime

Page 5 of 8

Notes:

No Additional Information.

Conditions to avoid

Do not freeze.

Incompatibility with other materials

No specific incompatibilities. Materials which are not compatible with water will not be compatible with this product. Substances that are not compatible with ordinary organic compounds (such as strong oxidizers) will not be compatible with this product.

Hazardous decomposition products

Oxides of carbon.

Additional reactivity / stability information

None

Thermal processing emissions

Not Applicable.

11 - Toxicological Information

Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure.

Chemical Name	LC50 Inhalation	Species	LD50 Oral	Species	LD50 Skin	Species
Coating solids	N/E	N/A	N/E	N/A	N/E	N/A
Water	N/E	N/A	N/E	N/A	N/E	N/A
Diethylamine	4000 ppm	rat	540 mg/kg	rat	580 mg/kg	rabbit
2-Butoxyethanol	No deaths at	guinea pig	<500 mg/kg	guinea pig	<2000 mg/kg	guinea pig
-	highest tested rate					

12 - Ecological Information

No ecological testing has been conducted on this product.

Notes: No Additional Information.

13 - Disposal Information

Incinerate waste product when in liquid form (i.e., as supplied) in a properly permitted (approved) incineration facility in accordance with federal, state and local regulations. Liquids cannot be disposed of in a landfill. Liquid product generally requires some pre-disposal treatment to separate the liquid from the polymeric portion. Typically, this is done by coagulating the polymer and removing the liquid. The liquid portion may be discharged to an industrial or public treatment works with approval of appropriate permitting authorities. Solid products can be sent to an approved landfill, or preferably incinerated.

Isoprime

Page 6 of 8

14 – Transportation Information

UN/NA Number:

N/A

Hazard Class:

N/A

IMDG Class:

N/A

Packing Group:

N/A

ICAO/IATA Class:

N/A

TDG Class:

N/A

Name of Material:

Not regulated.

Notes: No Additional Information.

15 – Regulatory Information

This MSDS has been prepared in accordance with the hazard criteria of the OSHA Hazard Communication Standard, 29 CFR 1910, 1200

U. S. Toxic Substances Control Act:

All components of this product are either listed on the U.S. Toxic Substances Control Act (TSCA) inventory of chemicals or are otherwise compliant with TSCA regulations.

U. S. CERCLA - SARA:

SARA Title III Section 312 Hazard Category (40 CFR 311/312)

Not Hazardous.

SARA Section 313: This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and CFR 372:

None Known.

California Proposition 65:

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, pate 31159 ff, 6 June 1997.

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards:

None known to be present or none in reportable amounts for occupational exposure as per OSHA's approval of the California Hazard Communication Standard, Federal Register, page 31159 ff, 6 June 1997.

The chemical identity of some of all components present is confidential business information (trade secret) and is being withheld as permitted by 29CFR1910, 1200 (i).

Isoprime

Page 7 of 8

Canadian Domestic Substances List (DSL):

All Components in this product are on the Canadian Domestic Substances List (DSL) or are exempt from listing.

Canadian Ingredient Disclosure List:

The following components are on the Canadian Ingredient Disclosure List (WHMIS):

None Listed.

Canadian WHMIS Class:

None Controlled.

Note: No Additional Information.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16 - Other Information

Notes: No Additional Information.

HMIS Rating

Health: 1

Flammability: 0

Reactivity: 0

Personal Protection: X

NFPA Rating

Health: 1

Flammability: 0

Reactivity: 0

Key: 0=Insignificant; 1=Slight; 2=Moderate; 3=High; 4=Extreme

Hazardous Materials Identification System (HMIS), National Paint and Coating Assn. rating applies to product "as packaged" (i.e., ambient temperature). Ratings are based upon HMIS® Rating Manual 1984. Values do not reflect HMIS® III.

National Fire Protection Association (NFPA) rating identifies the severity of hazards of material during a fire emergency (i.e., "on fire").

Legend:

ACGIH:

American Conference of Governmental Industrial Hygienists

A1:

Confirmed human carcinogen

A2:

Suspected human carcinogen

A3:

Animal carcinogen

CAS No:

IARC:

Chemical Abstract Service Registry Number International Agency for Research on Cancer

Group 1:

Probably carcinogenic to humans

Group 2A:

Probably carcinogenic to humans

Group 3: MSHA:

Unclassified as a carcinogen to humans

Mine Safety and Health Administration

NIOSH:

National Institute for Occupational Safety and Health

NTP:

National Toxicology Program

MSDS Name: Page 8 of 8

N/A Not Applicable N/E None Established

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

PNOC: Particulates Not Otherwise Classified

RTK: Right To Know

STEL: Short Term Exposure Limit (15 minute Time Weighted Average)

TLV: Threshold Limit Value

C: Ceiling Limit

S: Skin notation refers to the potential significant contribution to the overall exposure by the

cutaneous route including mucous membranes and the eyes and by direct skin contact

with the substance.

WHMIS: Canadian Workplace Hazardous Materials Information System

User's responsibility / disclaimer of liability

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and local regulations remain the responsibility of the user.

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to develop appropriate work practice guidelines and employee instructional programs for your operation.